



# Projection products line card

## 3LCD

### Christie AP Series - WUXGA (1920 x 1200) and WXGA (1280 x 800)


	<ul style="list-style-type: none"> <li>• Christie® LWU502 5525 ISO lumens</li> </ul>	<ul style="list-style-type: none"> <li>• Affordable, feature-packed projectors with an unbeatably low total cost of ownership</li> <li>• Long-life lamp up to 6000 hours (eco mode)</li> <li>• Hybrid filter up to 10,000 hours</li> <li>• AMX and Crestron compatibility</li> <li>• Single connection with HDBaseT</li> <li>• Basic edge-blending and image warping</li> <li>• DICOM simulation mode</li> <li>• Wireless capabilities (optional module)</li> <li>• Available in white only</li> </ul>
	<ul style="list-style-type: none"> <li>• Christie LW502 5525 ISO lumens</li> </ul>	

### Christie D Series - WUXGA (1920 x 1200), HD (1920 x 1080) and WXGA (1280 x 800)


	<ul style="list-style-type: none"> <li>• LWU720i-D 8100 ISO lumens</li> <li>• LWU620i-D 7000 ISO lumens</li> <li>• LHD720i-D 7650 ISO lumens</li> <li>• LW751i-D 7500 ANSI lumens</li> <li>• LW651i-D 6500 ANSI lumens</li> <li>• Ships without a lens</li> </ul>	<ul style="list-style-type: none"> <li>• Long-life lamp</li> <li>• D-Series suite of optional lenses</li> <li>• Superior contrast at up to 20,000:1</li> <li>• 3G-SDI connectivity (LWU720i-D and LHD720i-D only), portrait capable</li> <li>• Single connection with HDBaseT, AMX, Crestron compatibility</li> <li>• Basic warp/blend, digital image shift, advanced Color Management for image processing</li> <li>• Available in black or white. LW651i-D, and LWU620i-D (white only)</li> </ul>
---	---	---

## 1DLP

### Christie Captiva Series - HD (1920 x 1080)

	<ul style="list-style-type: none"> <li>• Christie DHD400S 3500 ISO lumens</li> </ul>	<ul style="list-style-type: none"> <li>• 0.25:1 Ultra Short Throw</li> <li>• Lampless laser phosphor</li> <li>• Instant on/off</li> <li>• Portrait capable</li> <li>• Optional touch capabilities</li> <li>• Wireless connectivity</li> <li>• Low cost of operation</li> <li>• 24/7 capable</li> <li>• Available in black or white</li> </ul>
---	--	---

### Christie GS Series - WUXGA (1920 x 1200) and HD (1920 x 1080)

	<ul style="list-style-type: none"> <li>• Christie DWU630-GS 6725 ISO lumens</li> <li>• Christie DHD630-GS 6125 ISO lumens</li> <li>• Available in white only</li> <li>• Ships without lens</li> </ul>	<ul style="list-style-type: none"> <li>• Laser Phosphor illumination</li> <li>• Best brightness in its class!</li> <li>• Unbeatable contrast - Christie RealBlack technology for an incredible 4,000,000:1 ratio</li> <li>• DWU630-GS: among the smallest and lightest in its class!</li> <li>• Utilizes seven lenses from G/GS-Series lens suite; plus, new Ultra Short Throw GS lens</li> <li>• Standard HDBaseT input</li> <li>• 24/7 capability</li> <li>• Precise HSG software color adjustments for Hue, Saturation and Gain</li> </ul>
---	---	---

## 1DLP (continued)

### Christie GS Series - WUXGA (1920 x 1200) and HD (1920 x 1080)



- Christie DWU850-GS 8400 ISO lumens
- Christie DWU700-GS 7250 ISO lumens
- Christie DWU850-GS 7750 ISO lumens
- Christie DHD700-GS 6625 ISO lumens
- Available in black or white
- Ships without a lens

- Christie BoldColor Technology (850 and 1075 models only)
- Laser Phosphor illumination delivers accurate color reproduction
- 2,000,000:1 contrast ratio with Christie RealBlack
- Unique "Volcano" industrial design
- Utilizes five lenses from G/GS-Series lens suite; plus, the new Ultra Short Throw GS lens
- Powerful, mid-range warp and blend capabilities including camera-based correction
- Precise HSG software color adjustments for Hue, Saturation and Gain
- Lower than average dBA noise level
- Convenient HDMI bottom location
- 3G-SDI in and out



- Christie DWU1075-GS 10,875 ISO lumens
- Christie DHD1075-GS 10,000 ISO lumens
- Available in black only
- Ships without a lens

### Christie Q Series - WUXGA (1920 x 1200) and HD (1920 x 1080)



- Christie DWU951-Q 8900 center lumens
- Christie DHD951-Q 8500 center lumens

- Built-in, dual-color wheel can be selected at a touch of a button
- eClarity advanced image processing enhances content by improving sharpness, gloss and shading
- Portrait mode and 360 degree projection
- Blending or warping capabilities
- 24/7 capability
- High Dynamic Contrast Range (HDCR) technology for improved image quality in ambient-lit rooms

### Christie H Series - WUXGA (1920 x 1200) and HD (1920 x 1080)



- Christie D12WU-H 11,000 ANSI lumens
- Christie D12HD-H 10,500 ANSI lumens

- Perfect fit for boardrooms to auditoriums
- Color integrity AND brightness performance all in one box
- HD, WUXGA resolution
- Built-in warping, blending and color correction
- Easy integration - wide selection of inputs, Crestron and AMX compatible
- Smallest, lightest and quietest in its class
- 24/7 capability

### Christie HS Series - WUXGA (1920 x 1200) and HD (1920 x 1080)



- Christie D13WU-HS, 13,500 ISO lumens, 12,000 ANSI lumens
- Christie D13HD-HS, 13,500 ISO lumens, 11,500 ANSI lumens

- Proprietary Christie BoldColor Technology delivers amazing color performance and full brightness at the same time
- Sealed illumination and DMD for long, reliable image performance
- 20,000 hours of life (no lamps)
- HD or WUXGA resolutions
- Small, light weight and quiet
- Manual or automatic stacking, warping and/or blending
- 360 degree operation
- 24/7 capability

## 3DLP

### Christie M Series - WUXGA (1920 x 1200), HD (1920 x 1080), SXGA+ (1400 x 100) and WXGA (1366 x 768)



- Roadster WU14K-M 14,000 center lumens
- Christie WU14K-M 14,000 center lumens
- Roadster HD14K-M 13,500 center lumens
- Christie HD14K-M 13,500 center lumens
- Roadster S+14K-M 14,000 center lumens
- Roadster WU12K-M 11,500 center lumens
- Christie WU12K-M 11,500 center lumens
- Roadster HD10K-M 11,000 center lumens
- Christie HD10K-M 11,000 center lumens
- Christie WU7K-M 6930 center lumens
- Christie HD6K-M 6600 center lumens

- Quickly, easily, and cost effectively get back to full brightness at any time
- Dual mercury lamps for built-in redundancy
- Lamps can be changed while projector is on and in use
- Embedded Christie Twist™ for precise warping and blending
- Intelligent Lens System (ILS™) automatically recognizes and calibrates lens when it is installed
- Dust-sealed engine, filter-free design ensures image quality is maintained
- Suite of 8 optional lenses
- 3D upgradable

### Christie J Series - WUXGA (1920 x 1200), HD (1920 x 1080) and SXGA+ (1400 x 1050)



- Roadster WU20K-J 20,000 center lumens
- Roadster HD20K-J 20,000 center lumens
- Roadster S+22K-J 22,000 center lumens

- High-performance Xenon lamp for extra wide color performance
- 1600-2000:1 contrast ratio
- Embedded Christie Twist
- Intelligent Lens System (ILS) to recall zoom, focus and offset positions
- Dust-sealed engine
- User-replaceable lamps
- Portrait display capabilities
- Optional yellow notch filter
- Compatibility with legacy accessories (some exceptions apply)
- Suite of 8 optional lenses
- 3D upgradable

### Christie Crimson - WUXGA (1920 x 1200), HD (1920 x 1080)



- Christie Crimson WU25, up to 25,000 ISO lumens (23,000 center lumens, 22,300 ANSI lumens)
- Christie Crimson HD25, up to 23,300 ISO lumens (21,000 center lumens, 20,000 ANSI lumens)
- Laser phosphor with proprietary Christie BoldColor Technology for premium color performance
- Uses M/J Series ILS lenses
- Long life light source - 20,000 hours to 50% brightness

- Built-in warp and blend with Christie Twist
- Compatible with Christie Mystique and Terra SDVoE
- Omnidirectional free range of orientation
- Ultra-low maintenance with no lamps to replace
- Meets DCI P3 and REC.709 requirements
- Christie TruLife™ electronics
- High bandwidth multi-input card (HBMIC) with Christie Link fiber input
- Numerous optional input cards provide the widest array of connectivity

### Christie Boxer Series - 4K (4096 x 2160) and 2K (2048 x 1080)



- Christie Boxer 4K30 32,500 ISO lumens (30,000 center lumens, 29,000 ANSI lumens)
- Christie Boxer 2K30 32,500 ISO lumens (30,000 center lumens, 29,000 ANSI lumens)
- Christie Boxer 4K20 19,500 ISO lumens (20,000 center lumens, 22,000 ANSI lumens)
- Christie Boxer 2K20 22,000 ISO lumens (20,000 center lumens, 19,500 ANSI lumens)

- Native pixel-perfect 4K resolution or 2K image processing at 60Hz
- 360 degree operation, any axis (omnidirectional)
- Integrated Christie Twist for warping and blending
- Integrated Near Field Communication (NFC) allows for lamp and projector information tracking
- Christie TruLife electronics
- High bandwidth multi-input card (HBMIC) with Christie Link fiber connector
- Numerous optional input cards provide the widest array of connectivity in its class
- Up to six independent lamps ensuring uptime
- Full suite of lenses

### Christie Roadie Series - 4K (4096 x 2160)



- Roadie 4K45 45,000 center lumens

- Native 4K resolution
- 60Hz high frame rate (60 fps) processing (120Hz upgrade available)
- Integrated Christie Twist for warping and blending
- Road-ready ruggedness

### Christie D4K2560, Christie D4K3560 - 4K (4096 x 2160)



- Christie D4K3560 32,500 ANSI lumens
- Christie D4K2560 22,500 ANSI lumens

- Native 4K resolution
- 60Hz high frame rate (60 fps) processing (120Hz upgrade available)
- Integrated Christie Twist for warping and blending
- Flexible input option
- Christie TruLife electronics
- User-replaceable lamps
- Motorized lens mount

## 3DLP (continued)




### Christie Mirage Series for 3D visualization and virtual reality applications

• RGB pure laser, laser phosphor or lamp-based, 3D stereoscopic projectors • Embedded Christie® Twist™ for warping and blending • Versatile input options for desired connectivity configuration • Consult your Christie representative for pricing

	Christie Mirage WQ-L/WU-L - WQXGA (2560 x 1600) and WUXGA (1920 x 1200)	
	<ul style="list-style-type: none"> <li>• Mirage WQ-L 800 ANSI lumens</li> </ul>	<ul style="list-style-type: none"> <li>• True 120Hz 3D (60Hz per eye) or 120Hz via frame doubled content (30Hz per eye)</li> </ul>
	<ul style="list-style-type: none"> <li>• Mirage WU-L 600 ANSI lumens ± 10%, rated at 75-80% EBU color space depending on the lens</li> </ul>	<ul style="list-style-type: none"> <li>• High-performance 3D video content at 120Hz</li> <li>• Solid-state, RGB LED-illuminated, stereoscopic projectors</li> <li>• Dual-input 3D mode and passive to active conversion</li> <li>• Any orientation mounting</li> <li>• Available on a build-to-order basis with ruggedization options for motion-platform use, optional advanced features and system integration tools</li> <li>• 24/7 capability</li> <li>• Two year warranty</li> </ul>
	Christie Mirage M Series - WUXGA (1920 x 1200), HD (1920 x 1080) and SXGA+ (1400 x 1050)	
	<ul style="list-style-type: none"> <li>• WU14K-M 12,500 ANSI lumens</li> <li>• HD14K-M 12,000 ANSI lumens</li> <li>• WU12K-M 11,500 ANSI lumens</li> <li>• HD10K-M 10,000 ANSI lumens</li> <li>• WU7K-M 6300 ANSI lumens</li> <li>• HD6K-M 6000 ANSI lumens</li> </ul>	<ul style="list-style-type: none"> <li>• High-resolution, active stereo projection</li> <li>• Portrait and landscape orientation</li> <li>• Dust-sealed engine</li> <li>• Dual mercury lamps for built-in redundancy</li> </ul>
	Christie Mirage J Series - WUXGA (1920 x 1200), HD (1920 x 1080) and SXGA+ (1400 x 1050)	
	<ul style="list-style-type: none"> <li>• WU20K-J 18,000 ANSI lumens</li> <li>• HD20K-J 18,000 ANSI lumens</li> <li>• S+22K-J 20,000 ANSI lumens</li> </ul>	<ul style="list-style-type: none"> <li>• Full resolution at a native frame rate up to 120Hz</li> <li>• Dual-input 3D</li> <li>• Rugged, compact chassis</li> <li>• Portrait and landscape orientation</li> <li>• Dust-sealed engine</li> <li>• High-performance Xenon lamp</li> </ul>
	Christie Mirage 4K - Full 4K (4096 x 2160) resolution at 120Hz for 3D	
	<ul style="list-style-type: none"> <li>• 4K35 9000 up to 32,500 ANSI lumens - lamp choices: 2.0kW, 3.0kW, 4.5kW and 6.0kW</li> <li>• 4K25 9000 up to 22,500 ANSI lumens - lamp choices: 2.0kW, 3.0kW and 3.0kW SD</li> </ul>	<ul style="list-style-type: none"> <li>• Christie TruLife™ electronics</li> <li>• Unprecedented image fidelity</li> <li>• Supports various 3D interconnectivity formats</li> <li>• Supports true 2K scaling to 4K</li> <li>• 24/7 use capability</li> <li>• Xenon bubble lamp</li> </ul>

## 3DLP (continued)

### Christie Mirage Series for 3D visualization and virtual reality applications

	<b>Mirage 4KLH - Native 4K, RGB pure laser</b>	
	<b>Christie Mirage 304K - Full 4K (4096 x 2160) resolution</b> <ul style="list-style-type: none"> <li>• High brightness, full 4K resolution with 29,000 ANSI lumens</li> </ul>	<ul style="list-style-type: none"> <li>• 4K, 120Hz 3D projector</li> <li>• Widest possible color gamut in projection</li> <li>• Christie TruLife™ - the only electronics capable of 1.2Gpx/s video processing for real 4K, 120Hz</li> <li>• Up to six independent lamps ensuring uptime</li> <li>• Only true 4K, 120Hz capable projector in the industry</li> <li>• Christie TruLife electronics capable of supporting 1.2Gpx/s video processing pipeline</li> <li>• Supports various 3D interconnectivity formats in true 120Hz 4K output</li> <li>• Includes Twin DisplayPort and HDBaseT</li> <li>• Lightweight at 160lbs and omnidirectional deployment</li> <li>• Near Field Communications (NFC) for lamp tracking</li> <li>• 6 x 450W Mercury lamps</li> </ul>
	<b>Christie Mirage 25 - WUXGA (1920 x 1200), HD (1920 x 1080)</b>	
	<ul style="list-style-type: none"> <li>• Christie Mirage WU25, up to 25,000 ISO lumens (23,000 center lumens, 22,300 ANSI lumens)</li> <li>• Christie Mirage HD25, 23,300 ISO lumens (21,000 center lumens, 20,000 ANSI lumens)</li> <li>• Laser Phosphor with proprietary Christie BoldColor Technology for premium color performance</li> <li>• Uses M/J Series ILS lenses</li> <li>• Long life light source - 20,000 hours to 50% brightness</li> </ul>	<ul style="list-style-type: none"> <li>• Supports various 3D interconnectivity formats</li> <li>• Christie TruLife electronics capable of frame rates up to 120Hz</li> <li>• Christie Mystique compatible with embedded Christie Twist™</li> <li>• Omnidirectional free range of orientation</li> </ul>

Customer service: 1 866 880 4462 • Technical support: 1 800 221 8025

Three year warranty does not apply to Christie Mirage WU-L/WQ-L projectors.  
Specifications subject to change.

#### Corporate offices

Christie Digital Systems USA, Inc.  
Cypress  
ph: 714 236 8610

Christie Digital Systems Canada Inc.  
Kitchener  
ph: 519 744 8005

#### Independent sales consultant offices

Italy  
ph: +39 (0) 2 9902 1161

Russia  
ph: +7 (495) 930 8961

#### Worldwide offices

Australia  
ph: +61 (0) 7 3624 4888

Brazil  
ph: +55 (11) 2548 4753

China (Beijing)  
ph: +86 10 6561 0240

China (Shanghai)  
ph: +86 21 6030 0500

Columbia  
ph: +57 (318) 447 3179

Eastern Europe  
ph: +36 (0) 1 47 48 138

France  
ph: +33 (0) 1 41 21 44 04

Germany (Cologne)  
ph: +49 221 99 512-0

Germany (Moechengladbach)  
ph: +49 2161 566200

India  
ph: +91 (080) 6708 9999

Japan  
ph: +81 3 3599 7481

Mexico  
ph: +52 55 4744 1790

Republic of South Africa  
ph: +27 11 251 0000

Singapore  
ph: +65 6877 8737

South Korea  
ph: +82 2 702 1601

Spain  
ph: +34 91 633 9990

United Arab Emirates  
ph: +971 (0) 4 503 6800

United Kingdom  
ph: +44 (0) 118 977 8000

United States (Arizona)  
ph: 602 943 5700

United States (New York)  
ph: 646 779 2014



ISO 9001  
ISO 14001



For the most current specification information, please visit [www.christiedigital.com](http://www.christiedigital.com)

Copyright 2018 Christie Digital Systems USA, Inc. All rights reserved. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Christie Digital Systems Canada Inc.'s management system is registered to ISO 9001 and ISO 14001. Performance specifications are typical. Due to constant research, specifications are subject to change without notice. Printed in Canada on recycled paper. 4663 Mar 18

**CHRISTIE®**